Inventor, Guern and Antananan Docks No. 09680 0196USUI
THE SYSTEM FOR MODELING AND SIMULATING EMOTION STATES

Senal No.. 10/081822 Sheet 1 of 5

⋖

۵.

EMOTION TERM


		EMOTION TERM ( PAD  AROUSAL		ODMINANCE		SIMPLE LOOKING OF EMOTION LABEL TO PAD		FIG. 2	(PRIOR ART)
-65	57	81	1.7	09	31	28	-65	-20	-24
-59, 41, -65	76, 68, 45	24, 65, 18	31, 8, 41	95, 52, 60	-36, 35, 31	75, 41, 28	-59, 65, -65	-34, 61, -20	-47, 71, -24
-59,	767	24,	31,	95,	- 36,	75,	- 59,	-34,	-47,
" ABANDONED ",	" ACTIVATED ",	" ACTIVE ",	" ADEPT",	" ADMIRED ",	" ADVERSE ",	" AFFECTIONATE ",	" AFRAID ",	" AGHAST",	" AGITATED ",



SAMPLE MAPPING TABLE OF EMOTION TO PAD VALUES


FIG. 1 (PRIOR ART)





CONVERSION OF PAD VALUES TO EMOTION LABEL AND OTHER VALUES

FIG. 3




DISTANCE OF SAMPLE EMOTION FROM PAD VALUES

FIG. 4

Investible Cuerin and Mehraban Decket No. 20080 0190/USU1 THE SYSTEM FOR MODELING AND SIMULATING EMOTION STATES Serial No. 10/08/1822 Sheet 3 of 5





HOW TO AVERAGE PAD VALUES

FIG. 5

Нарру	[[]][]]	Unhappy
Stimulated		Relaxed
Controlling		Controlled



